

SENSIT[®] TKX
COMBUSTIBLE GAS LEAK DETECTOR



SENSIT[®] TKX
makes leak detection quick and easy!

MADE IN USA

FIND IT with **SENSIT**
Technologies
www.gasleaksensors.com

SENSIT[®] TKX

COMBUSTIBLE GAS LEAK DETECTOR

SENSIT[®] TKX is the perfect choice when locating hard to find natural gas or propane gas leaks. Low maintenance and low initial cost make this product the ideal choice for the budget conscious.

FINDS LEAKS QUICKLY

- High sensitivity allows immediate leak detection
- Tick rate control to pinpoint leaks fast
- Detects many gases and chemicals

LOW MAINTENANCE

- Solid state sensor
- Alkaline battery powered
- Lowest cost of ownership

TKX Standard Features

- Long battery life
- Long sensor life
- Adjustable tick rate system
- Audible and Visual Indicators
- SENSIT[®] quality and durability



INDUSTRY USERS

Utility Operators
Emergency Vehicles
Fire Departments
Appliance Repair
Marine Operations
Plant Maintenance
Heating and A/C Contractors
Plumbing Contractors
Housing Maintenance

APPLICATIONS

Gas Pipe Leak Detection
Propane / Butane Bottle Checks
Chemical Detection
Arson / Accelerant Detection

PARTIAL LIST OF GASES SENSED*

Acetone	Hydrogen
Alcohol	Industrial Solvents
Ammonia	Jet Fuel
Butane	Lacquer Thinner
Ethylene Oxide	Methane
Gasoline	Natural Gas
Halon	Propane

*Contact Sensit Technologies for more info.



TO OPERATE:

1. Power On
2. Wait 30 Seconds
3. Adjust Tick
4. Begin to Use

SENSOR SPECIFICATIONS

TYPE	DETECTION LIMIT	RANGE
PPM	20ppm	20-50,000

PRODUCT SPECIFICATIONS

Size:	3.5" x 10" x 1.6" (8.9 x 25.4 x 4 cm)
Weight:	1.3 pounds (0.59 kg)
Operational Temp:	0 to 120° F (-20 to 50° C)
Battery Life:	Alkaline: Approximately 30 hrs. Continuous



STANDARD KIT

- Carrying Pouch
- 3 "C" Batteries
- Instruction Manual
- Earphone



SENSIT® TKX instruments are approved UL913, For Class 1, Division 1, Groups C and D, T3 hazardous locations when used with Duracell MN1400BK batteries or equivalent alkaline batteries.

SENSIT TKX ACCESSORIES

Instrument Pouch
Part # 360-00002

Extension Adapter
Part # 870-00012

Sensor Ex (LEL)
Part # 375-2611-01

Sensor Cap
Part #365-00045

PRODUCT / APPLICATION OPTIONS

SENSIT® GOLD G2 GAS DETECTION INSTRUMENT

SENSIT® GOLD G2 is the most versatile and user-friendly SENSIT instrument available.

Displays Up To 4 Gases Simultaneously

- LEL (%Volume and PPM Optional)
- Oxygen
- Carbon Monoxide
- Hydrogen Sulfide
- Hydrogen Cyanide (Optionally)



SENSIT® HXG-3 COMBUSTIBLE GAS LEAK DETECTOR

SENSIT® HXG-3 is an advanced state-of-the-art combustible gas leak detector capable of sensing many combustible gases such as methane, propane and natural gas.

- Displays LEL and PPM
- Infrared Downloading
- Long-life, Low-Cost Sensor
- Simple Calibration

The SENSIT® HXG-3P is available with an optional internal pump.

SENSIT® HXG-2d COMBUSTIBLE GAS DETECTOR

SENSIT® HXG-2d is intrinsically safe and ideal for locating Natural, Propane and Butane gas leaks quickly.

- Direct PPM Readout 0-990 ppm
- Direct LEL Readout 0-100% LEL
- Push-Button Operation
- Field Calibration
- Long-life, Low Cost Sensors



For more information, visit www.gasleaksensors.com



851 Transport Drive
Valparaiso, IN 46383-8432

Phone: 888 4SENSIT
888 473 6748
219 465 2700

Fax: 219 465 2701
www.gasleaksensors.com

MADE IN USA

SENSIT Technologies
is in compliance with ISO 9001:2008



Distributed by:

